


EDECO-PEEL

Relax... Use Deco-Peel to remove worn acrylic sealers from decorative concrete and the hard work is done.

Deco-Peel's breakthrough blanket removal system perfects the removal of chalky, cloudy, or worn acrylic sealers from decorative concrete while protecting the sensitive landscaping, pools and sides of homes susceptible to damage from resin debris.







Deco-Peel makes removing worn acrylic sealers as easy as A-B-C.

Save time without sacrificing quality with NEW Deco-Peel, Nox-Crete's decorative acrylic sealer blanket removal system.

With Deco-Peel, there's no need to waste your energy on messy, hard-to-dispose of hazardous solvents or bulky, tough to maneuver pressure washers.

Thanks to the simple to use, controlled blanket application, an area such as hard-to-reach decorative concrete nestled near sensitive landscaping is no longer a challenge.

Get more done in a day with less mess, less cleanup and no pressure washing.



A Roll it out.

Roll Out the biodegradable Deco-Peel Blanket on the old acrylic sealer. Trim corners and curves to fit. (Easy in tight spaces, too!)



B Roll it on.

Roll On the biodegradable Deco-Peel Liquid Stripper over the blanket until saturated. Allow the liquid to dry. (Usually 2-4 hours).



Peel it off.

Peel Off the blanket.
There's nothing more to do.
Just throw the blanket away
and now you're ready to
apply a new sealer.

Thanks to

ECO-PEL

Life just got a whole lot easier.



Deco-Peel is Plant-friendly. Your flowers deserve to photosynthesize in peace, free from damaging rogue resin debris. Deco-Peel's precise application and stripping process makes for worry-free acrylic sealer removal near sensitive landscaping.

Deco-Peel is easy.

Deco-Peel makes it easy for any decorative concrete contractor or homeowner to remove the worn-out acrylic sealer on their pool deck, backyard patio, outdoor walkway or other exterior textured/stamped decorative concrete.

Now any blistering, yellowing, chalky, cloudy, or peeling acrylic finish can be removed with:

- No power washer.
- No hazardous or flammable solvents.
- No environmental worries.
- No scrubbing, scraping, splatter, mess or run-off.
- No sand blasting.

With Deco-Peel, removing exterior acrylic sealers is convenient, clean and precise.

Deco-Peel is safe to use.*

In the past, removing acrylic from concrete required the use of hazardous solvents like xylene.

Xylene (also known as "xylol" or "dimethylbenzene") is a clear, light-colored or colorless, flammable liquid that is user and environmentally unfriendly. Xylene evaporates quickly making it very difficult to use.

Xylene-free Deco-Peel is safe to use.

Seeing is believing...

To see how precisely and easily you can remove worn acrylic sealer, see the Deco-Peel video at: www.nox-crete.com/deco-peel

^{*} For use in CA, LADCO, OTC and Canada, Nox-Crete manufactures Deco-Peel CPC.

^{**} See website for complete MSDS and technical information.

Restore...

Finish the job right. Use Nox-Crete sealers to bring your decorative concrete back to life.

Protect your decorative concrete with a long-lasting, high-quality decorative acrylic sealer from Nox-Crete. Our breathable, decorative sealers use the highest grade of acrylic resins and deep penetrating solvents which provide excellent water vapor permeability that helps in preventing the sealer from peeling and blistering.

Sparkl-Seal

- 25% solids, acrylic polymer
- Highest-grade acrylic resin
- Deepest penetrating solvents
- Excellent UV light resistance
- High-gloss
- Available in low VOC formulation

Natraseal

- Formulated for longer working time and easy spray or roll application
- Improved breathability & adhesion
- Highest-grade acrylic resin
- Deepest penetrating solvents
- Excellent UV light resistance
- Available in low VOC formulation

Seeing is believing...

To see how precisely and easily you can remove worn acrylic sealer, see the Deco-Peel video at:







www.nox-crete.com



chemical solutions to concrete problems

Nox-Crete has manufactured performance-driven products with quality materials since 1956.Visit nox-crete.com for complete specifications, VOC information, MSDS and technical guides.

www.nox-crete.com 4 0 2 . 3 4 1 . 2 0 8 0