



**COUNTERFORM**  
CONCRETE COUNTERTOP SOLUTIONS

Safety Data Sheet

**1. Identification**

**Walttools**  
1246 Leah Rd  
Morris, IL 60450  
USA

**TRANSPORTATION EMERGENCY**

CALL INFOTRAC: (800) 535-5053  
INTERNATIONAL: (800) 535-5053

**NON-TRANSPORTATION**

Emergency Phone: Call Infotrac  
Information Phone: (800) 535-5053

**Product Name:** Aqua-Thane G40/M35 Part A  
**Chemical Family:** Aqueous Polyurethane Resin Dispersion  
**Use:** Part A of a two component water based urethane coating for concrete.

**2. Hazards Identification**

This product is not classified as hazardous according to OSHA HazCom 2012 (29 CFR 1910.1200).

**3. Composition/Information on Ingredients**

**Hazardous Components**

There are no hazardous components above the relevant concentration limits according to OSHA HazCom 2012.

**OTHER INGREDIENTS**

<u>Weight percent</u>	<u>Components</u>	<u>CAS-No.</u>
1 - 5%	Triethanolamine	102-71-6
0.1 - 1%	Ammonia	7664-41-7

This product contains a chemical neutralizing agent which is bound in the matrix of this product as a salt. This neutralizing salt is considered essentially unreactive at room temperature. Generation of vapors from this neutralizing salt is expected when this product is processed (heated) during the drying/hardening of the coating.

**4. First Aid Measures**

**Most Important Symptom(s)/Effect(s)**

**Acute:** Not expected to cause adverse acute health effects.

Material Name: WBU-G/M part A

Material Number: 57821829

**Eye Contact**

In case of contact, flush eyes with plenty of lukewarm water. Use fingers to ensure that eyelids are separated and that the eye is being irrigated. Get medical attention if irritation develops.

**Skin Contact**

In case of skin contact, wash affected areas with soap and water. Immediately remove contaminated clothing and shoes. Get medical attention if irritation develops.

**Inhalation**

If inhaled, remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention if irritation develops.

**Ingestion**

If ingested, do not induce vomiting unless directed to do so by medical personnel. Get medical attention.

**5. Firefighting Measures**

**Suitable Extinguishing Media:** Carbon dioxide (CO<sub>2</sub>), Dry chemical, Foam, water spray for large fires.

**Unsuitable Extinguishing Media** No Data Available

**Fire Fighting Procedure**

Firefighters should be equipped with self-contained breathing apparatus to protect against potentially toxic and irritating fumes. Use cold water spray to cool fire-exposed containers to minimize the risk of rupture.

**Hazardous Decomposition Products**

By Fire and Thermal Decomposition: Carbon dioxide (CO<sub>2</sub>), carbon monoxide (CO), oxides of nitrogen (NO<sub>x</sub>), dense black smoke., Other undetermined compounds

**6. Accidental Release Measures****Spill and Leak Procedures**

Cover spill with inert material (e. g., dry sand or earth) and collect for proper disposal. Dike or dam spilled material and control further spillage, if possible. Prevent from entering open drains and waterways. Wash spill area with soap and water. Ventilate area to remove vapors or dust.

**7. Handling and Storage****Handling/Storage Precautions**

Handle in accordance with good industrial hygiene and safety practices. Wash thoroughly after handling. Keep container closed when not in use. Avoid breathing dust, vapor, or mist. Avoid contact with eyes. Avoid contact with skin or clothing. Protect from freezing.

**Storage Period:**

6 Months: after receipt of material by customer

**Storage Temperature**

**Minimum:** 7 °C (44.6 °F)

**Maximum:** 25 °C (77 °F)

**Storage Conditions**

Store in a cool dry place. Store in original or similar containers. Store separate from food products.

**Substances to Avoid**

Water reactives

**8. Exposure Controls/Personal Protection**

The recommendations in this section should not be a substitute for a personal protective equipment (PPE) assessment performed by the employer as required by 29 CFR 1910 Subpart I.

**Exposure Limits****Triethanolamine (102-71-6)**

US. ACGIH Threshold Limit Values

Time Weighted Average (TWA): 5 mg/m<sup>3</sup>

US. ACGIH Threshold Limit Values

Time Weighted Average (TWA): 5 mg/m<sup>3</sup>

Any component which is listed in section 3 and is not listed in this section does not have a known ACGIH TLV, OSHA PEL or supplier recommended occupational exposure limit.

**Industrial Hygiene/Ventilation Measures**

General dilution and local exhaust as necessary to control airborne vapors, mists, dusts and thermal decomposition products below appropriate airborne concentration standards/guidelines. Thermal processing operations should be ventilated to control gases and fumes given off during processing. Curing ovens must be ventilated to prevent the build up of explosive atmospheres and to prevent off gases from entering the work place.

**Respiratory Protection**

None required under normal conditions of use., NIOSH approved air-supplied respirator during die cleaning, high temperature processing or when thermal decomposition is suspected.

**Hand Protection**

Ensure gloves remain in good condition during use and replace if any deterioration is observed.

Permeation resistant gloves., Butyl rubber gloves., Nitrile rubber gloves.

**Eye Protection**

Chemical safety goggles or safety glasses with side-shields.

**Skin Protection**

Permeation resistant clothing, Gloves, long sleeved shirts and pants.

**Additional Protective Measures**

Employees should wash their hands and face before eating, drinking, or using tobacco products. Educate and train employees in the safe use and handling of this product. Store separate from food products.

## 9. Physical and Chemical Properties

<b>State of Matter:</b>	liquid
<b>Color:</b>	Pale White
<b>Odor:</b>	mild, characteristic
<b>Odor Threshold:</b>	No Data Available
<b>pH:</b>	7 - 8 (Determined in a 10 % aqueous solution)
<b>Freezing Point:</b>	0 °C (32 °F) similar to water
<b>Boiling Point:</b>	100 °C (212 °F) similar to water
<b>Flash Point:</b>	Not applicable (water based product), however, solid material will support combustion if water has been evaporated.
<b>Evaporation Rate:</b>	No Data Available
<b>Lower Explosion Limit:</b>	No Data Available
<b>Upper Explosion Limit:</b>	No Data Available
<b>Vapor Pressure:</b>	No Data Available
<b>Vapor Density:</b>	No Data Available
<b>Density:</b>	ca. 1.06 g/cm <sup>3</sup> @ 20 °C (68 °F) (DIN 51757)
<b>Relative Vapor Density:</b>	No Data Available
<b>Specific Gravity:</b>	Approximately 1.19 @ 25 °C (77 °F)
<b>Solubility in Water:</b>	miscible
<b>Partition Coefficient: n-octanol/water:</b>	No Data Available
<b>Auto-ignition Temperature:</b>	ca. 455 °C (851 °F) (DIN 51794)
<b>Decomposition Temperature:</b>	No Data Available
<b>Dynamic Viscosity:</b>	1,000 - 3,500 mPa.s @ 23 °C (73.4 °F) (DIN 53019)
<b>Kinematic Viscosity:</b>	No Data Available
<b>Bulk Density:</b>	Approximately 1,066 kg/m <sup>3</sup>
<b>Self Ignition:</b>	not applicable

## 10. Stability and Reactivity

### Hazardous Reactions

Hazardous polymerization does not occur.

### Stability

Stable

### Materials to Avoid

Water reactives

### Conditions to Avoid

Protect from freezing.

### Hazardous Decomposition Products

By Fire and Thermal Decomposition: Carbon dioxide (CO<sub>2</sub>), carbon monoxide (CO), oxides of nitrogen (NO<sub>x</sub>), dense black smoke., Other undetermined compounds

## 11. Toxicological Information

<b>Likely Routes of Exposure:</b>	Skin Contact
	Eye Contact
	Ingestion
	Inhalation

### Health Effects and Symptoms

**Acute:** Not expected to cause adverse acute health effects.

**Chronic:** Not expected to cause adverse chronic health effects.

### Toxicity Data for: Aqua-Thane G40 part A      Acute Oral Toxicity

Acute toxicity estimate: > 5,000 mg/kg (Calculation method)

### **Carcinogenicity:**

No carcinogenic substances as defined by IARC, NTP and/or OSHA

---

## 12. Ecological Information

### Ecological Data for: Aqua-Thane G40 part A

No data available for this product.

## 13. Disposal Considerations

### **Waste Disposal Method**

Waste disposal should be in accordance with existing federal, state and local environmental control laws.

### **Empty Container Precautions**

Recondition or dispose of empty container in accordance with governmental regulations.

## 14. Transportation Information

### Land transport (DOT)

Non-Regulated

### Sea transport (IMDG)

Non-Regulated

### Air transport (ICAO/IATA)

Non-Regulated

## 15. Regulatory Information

### United States Federal Regulations

**US. Toxic Substances Control Act:** Listed on the TSCA Inventory.

No substances are subject to TSCA 12(b) export notification requirements.

### **US. EPA CERCLA Hazardous Substances (40 CFR 302) Components:**

None

### **SARA Section 311/312 Hazard Categories:**

Material Name: Aqua-Thane G40/M35 part A

Material Number: 57821829

Non-hazardous under Section 311/312

**US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A) Components:**  
None

**US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required Components:**  
None

**US. EPA Resource Conservation and Recovery Act (RCRA) Composite List of Hazardous Wastes and Appendix VIII Hazardous Constituents (40 CFR 261):**

Under RCRA, it is the responsibility of the person who generates a solid waste, as defined in 40 CFR 261.2, to determine if that waste is a hazardous waste.

**State Right-To-Know Information**

The following chemicals are specifically listed by individual states; other product specific health and safety data in other sections of the SDS may also be applicable for state requirements. For details on your regulatory requirements you should contact the appropriate agency in your state.

**Massachusetts, New Jersey or Pennsylvania Right to Know Substance Lists:**

<u>Weight percent</u>	<u>Components</u>	<u>CAS-No.</u>
>=1%	Polyacrylate Resin	CAS# is a trade secret
>=1%	Water	7732-18-5
>=1%	Reactive diluent	CAS# is a trade secret
1 - 5%	Triethanolamine	102-71-6
1 - 5%	Propylene Glycol n-Butyl Ether	5131-66-8

**New Jersey Environmental Hazardous Substances List and/or New Jersey RTK Special Hazardous Substances Lists:**

<u>Weight percent</u>	<u>Components</u>	<u>CAS-No.</u>
0.1 - 1%	Acetone	67-64-1

**California Prop. 65:**

Warning! This product contains chemical(s) known to the State of California to be Carcinogenic.

<u>Weight percent</u>	<u>Components</u>	<u>CAS-No.</u>
<0.1%	Diethanolamine	111-42-2

**CFATS (Chemical Facility Anti-Terrorism Standards) Chemicals**

To the best of our knowledge, this product does not contain Appendix A Chemicals of Interest (COI), at or above the Screening Threshold Quantity (STQ), as defined by the Department of Homeland Security Chemical Facility Anti-terrorism Standard (CFATS, 6 CFR Part 27).

Based on information provided by our suppliers, this product is considered "DRC Conflict Free" as defined by the SEC Conflict Minerals Final Rule (Release No. 34-67716; File No. S7-40-10; Date: 2012-08-22).

**16. Other Information**

The method of hazard communication for Waltools is comprised of product labels and safety data sheets. Safety data sheets for all of our products and general product declarations are available by calling 815-941-4215.

Contact: Walttools  
Telephone: (815) 941-2145  
Version Date: 9/31/2017  
SDS Version: 1

Information contained in this SDS is believed to be accurate but is furnished without warranty, express or implied, including warranties of merchantability or fitness for a particular purpose. The information relates only to the specific material designated herein. Walttools assumes no legal responsibility for use of or reliance upon the information in this SDS and such information shall in no case be considered a part of our terms and conditions of sale. The user is responsible for determining whether the Walttools product is suitable for user's method of use or application. Walttools is not liable for any failure to observe the precautionary measures described in this SDS or for any misuse of the product.