

SDS-4
Revised October 8 th , 2017

		SAFETY	Y DATA SHEET	Page 1	
	SEC	CTION 1:	IDENTIFICATION		
PRODUCT NAME: CPD NON	SHRINK GI	ROUT (PF	RE-MIX)		
MANUFACTURER/SUPPLIER:		CPD Con	struction Products		
			ie Crescent, Unit #13		
		· · · · · ·	Ontario Canada L4K 1L4		
24 HOUR EMERGENCY NUMBER			C: (613) 996-6666	11	
APPLICATION AND USE:			Cement based grout.	l columns, anchor bolts and dowels.	
TRODUCT DESCRIPTION.		•	RDS INDENTIFICATION		
GHS CLASSIFICATION		(Category (Category	tion (Category 2); Serious eye dama 1A-Inhalation); Specific target orga 3- Respiratory system); Specific tar exposure (Category 1-Lungs)	an systemic toxicity-single exposure	
		> <			
SIGNAL WORD	•	DANGE	κ 🕶		
HAZARD STATEMENTS			ses skin irritation.		
		H318 Causes serious eye damage.			
			y cause respiratory irritation. y cause cancer by inhalation.		
				igh prolonged or repeated exposure.	
PRECAUTIONARY STATEMENTS	5				
PREVENTION			not handle until all safety precaution	is have been read and understood.	
			not breath dust.		
			sh skin thoroughly after handling. not eat, drink or smoke when using t	this product	
			only outdoors or in a well-ventilate		
		P280 Wea	ar protective gloves/ eye protection/f	face protection.	
			personal protective equipment as re		
RESPONSE			52 IF ON SKIN: wash with plenty of	-	
		breathing.	40 IF INHALED: Remove person to	iresh air and keep comfortable for	
			51+P338 IF IN EYES: Rinse cautiou	usly with water for several minutes.	
			ontact lenses, if present and easy to		
			3 IF exposed or concerned: Get me		
			nediately call a POISON CENTER/		
			3 If skin irritation occurs: Get medi		
P362 Take off contaminated clothing and wash before reuse. SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS					
		AS. #	LD/50, Route, Species	LC/50, Route, Species	
		8-60-7	>5,000mg/kg (Oral-Rat)	Not Available	
Portland Cement (Hydraulic Cement) 30	-60 6599	7-15-1	Not Available	Not Available	
**The sand used in this product conta	ains Quartz. Al	though the	minimum grain size is 150 Microns	. certain precautions should still be	

taken during handling, to avoid inhalation of dust particles.



SDS-4
Revised October 8 th , 2017

	SAFETY DATA SHEET Page 2				
SECTI	ON 4 : FIRST-AID MEASURES				
FIRST-AID MEASURES					
EYE CONTACT	Flush eyes with lukewarm water for at least 15 minutes holding eye lids open.				
	If irritation persists see a physician.				
SKIN CONTACT	Wash with soap and water and remove contaminated clothing. Wash clothing separately prior to reuse. If irritation persists, get medical attention.				
INHALATION	Remove victim to fresh air. Consult a physician after significant exposure.				
INGESTION	If swallowed, DO NOT induce vomiting. Rinse mouth and call a physician or				
	poison control centre immediately. Never give anything by mouth to an				
	unconscious person. Obtain medical attention.				
SYMPTOMS AND EFFECTS EYE CONTACT	Mild irritation and discomfort, may cause excessive lachrymation or serious eye				
	damage.				
SKIN CONTACT	Irritation may occur. Prolonged or repeated contact may result in skin				
	sensitization and dermatitis.				
INHALATION	Prolonged inhalation may result in respiratory irritation, coughing. May cause				
CHRONIC	cancer by inhalation. May cause damage to organs through prolonged or repeated exposure.				
	S: FIRE-FIGHTING MEASURES				
FLAMMABILITY CLASSIFICATION SENSITIVITY OF STATIC DISCHARGE	Not flammable or combustible. Not applicable.				
SUITABLE EXTINGUISHING MEDIA	This product will not burn. Use the medium appropriate to the surrounding fire.				
SPECIAL FIRE FIGHTING PROCEDURES	Wear self-contained breathing apparatus and protective clothing if necessary				
	Use self-contained breathing apparatus and protective clothing for large fires.				
HAZARDOUS COMBUSTION PRODUCTS	None.				
SECTION 6: A	ACCIDENTAL RELEASE MEASURES				
PERSONAL PRECAUTIONS	Use personal protective equipment. Avoid dust formation. Avoid breathing dust.				
	Ensure adequate ventilation.				
ENVIRONMENTAL PRECAUTIONS	Do not let product enter drains. Do not flush into surface water or sanitary sewer system.				
CLEAN-UP METHODS	Pick-up and arrange disposal without creating dust. Sweep up and shovel using				
	dust retarding floor sweeping compound. Keep in closed containers for disposal.				
SECTION 7: HANDLING AND STORAGE					
HANDLING PROCEDURES	Avoid contact with skin and eyes. Avoid formation of dust and dust inhalation.				
	Provide appropriate exhaust ventilation in places where dust is formed				
STORAGE NEEDS	Store in original labelled container, tightly closed and in a dry, well-ventilated				
	place.				
SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION					
EXPOSURE LIMITS (respirable fraction in air):					
SILICA SAND (QUARTZ)	OSHA & MSHA-PEL 10 mg/m ³ (8 hour TWA)				
	ACGIH-TLV0.05 mg/m³ (8 hour TWA)NIOSH0.05 mg/m³ (10 hour TWA, 40 h work week)				
PORTLAND CEMENT	OSHA- PEL, ACGIH-TLV, NIOSH 5 mg/m ³ (TWA)				
PROTECTIVE EQUIPMENT:					
EYE / TYPE	Safety eyewear should be used when a risk assessment indicates as necessary.				
RESPIRATORY PROTECTION	Avoid breathing dust. For operations where inhalation exposure can occur, a NIOSH approved respirator may be necessary.				
SKIN/ BODY PROTECTION	Wear protective clothes; long sleeves and trousers to prevent dermal exposure.				
OTHER / TYPE	Eyewash fountain. Emergency shower should be in close proximity.				
VENTILATION REQUIREMENTS	General dilution and local exhaust as necessary to control airborne dusts below				
	appropriate airborne concentration standards/guidelines.				



SDS-4
Revised October 8th, 2017

	SAFETY DATA SHEET Page 3					
SECTION 9: PH	YSICAL AND CHEMICAL PROPERTIES					
PHYSICAL STATE Powder/Granular Solid						
VAPOUR PRESSURE	Not applicable					
VISCOSITY	Not applicable					
VAPOUR DENSITY (AIR=1)	Not applicable					
SPECIFIC GRAVITY @20°C (68°F)	2.2					
BOILING POINT	Not applicable					
SOLUBILITY IN WATER	<1.0%					
APPEARANCE	Medium to Light Grey Powder containing Fine Sand					
ODOUR	None					
pH LEVEL	12.5 @ 20°C (68°F) (Aqueous Solution)					
% VOLATILE	Not applicable					
EVAPORATION RATE (N-BuAc=1)	Not applicable					
	10: STABILITY AND REACTIVITY					
CHEMICAL STABILITY	Product is stable.					
POSSIBLE HAZARDOUS REACTIONS	Hazardous polymerization will not occur under normal storage conditions.					
CONDITIONS TO AVOID	Do not allow the product to get wet as it will harden. Store in a dry place.					
INCOMPATIBLE MATERIALS	No data available.					
HAZARDOUS DECOMPOSITION PRODUCTS:	Product is stable, hazardous decomposition will not occur.					
SECTION 11	: TOXICOLOGICAL INFORMATION					
INGREDIENTS LD50/ LC50 DATA	Refer to Section 3.					
ROUTES OF EXPOSURE:						
EYE CONTACT	Irritating.					
SKIN CONTACT	Frequent or prolonged contact may irritate the skin, low toxicity.					
INHALATION (ACUTE)	Prolonged or repeated exposure may cause allergic reactions in certain sensitive					
	individuals. Respirable Silica Quartz can cause chronic silicosis.					
CARCINOGENICITY OF MATERIAL	May cause cancer by inhalation. The Silica Quartz component is classified as					
	carcinogenic to humans by NTP and IARC-Group 1.					
TERATOGENICITY	No data available.					
MUTAGENICITY	No data available.					
REPRODUCTIVE EFFECTS	No data available.					
OTHER	The dust product may be harmful if inhaled. Causes respiratory tract irritation.					
	Prolonged exposure can cause silicosis. May be harmful if swallowed. Causes					
	skin and eye irritation.					
SIGNS AND SYMPTOMS OF EXPOSURE	Coughing, skin rash, allergic dermatitis.					
	12: ECOLOGICAL INFORMATION					
ECOTOXICITY	No data available.					
PERSISTENCE AND DEGRADABILITY	No data available.					
BIOACCUMULATIVE POTENTIAL	No data available.					
MOBILITY IN THE SOIL						
OTHER EFFECTS	No data available. No data available.					
SECTION 13: DISPOSAL CONSIDERATIONS						
PRODUCT DISPOSAL	Disposal of this product should comply with the requirements of environmental					
	protection and waste disposal legislation in place.					
	Do not allow product to enter sewers, streams or lakes.					
WASTE DISPOSAL	Empty containers of this product can be disposed of as normal garbage.					
SECTION 14: TRANSPORTATION INFORMATION						
TDG CLASSIFICATION						
	Not regulated.					



SDS-4 Revised October 8th, 2017

	SAFETY DATA SHEET	Page 4			
SECTION 15: REGULATORY INFORMATION					
WHMIS CLASSIFICATION	Class E (Portland Cement) Class D Division 2 Subdivision A (Silica Quartz)				
CPR (CANADA) COMPLIANCE	Meets all requirements				
SECTION 16: OTHER INFORMATION					
ACGIH	American Confederation of Governmental Industrial Hygienists				
IARC	International Agency for Research on Cancer				
NTP	National Toxicology Program				
STEL	Short Term Exposure Limit				
PEL	Permissible Exposure Limit				
TLV-TWA	Threshold Limit Value - Time-Weighted Average				
OSHA	Occupational Safety and Health Administration				
NIOSH	National Institute for Occupational Safety and Health				
MSHA	Mine Safety and Health Administration				
CPR	Controlled Products Regulations				
CAS	Chemical Abstracts Service				
РРЕ	Personal Protection Equipment				
N/A	Not available				
PREPARED BY:	Camelia Gardo				
TELEPHONE NUMBER:	(905) 669-5013				
PREPARATION DATE:	October 8 th , 2017				

The above information pertains to this product as currently formulated, and is based on the information available at this time. Addition of reducers or other additives to this product may substantially alter the composition and hazards of the product. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.