



DYNAGRIP

ANTI-SKID ADDITIVE

Description

DynaGrip Anti-Skid Additive is a premium micronized polymer designed to provide superior slip resistance when added to latex, epoxy, or oil-based paints, stains, and sealers. This advanced additive integrates smoothly with minimal effect on coating viscosity, ensuring a safer, slip-resistant surface without altering the appearance of your finish. DynaGrip offers a reliable solution for enhanced surface safety.

Advantages

- Add to latex-based, epoxy, and oil-based coatings, stains, and sealers.
- Creates a durable, slip-free surface.
- Creates a gritty texture without altering the color.
- Low oil absorption and high solvent resistance
- Maintains grip even in harsh conditions, providing long-lasting safety.
- Minimal impact on the coating's viscosity when stirred in.

Recommended Uses

DynaGrip Anti-Skid Additive is formulated for use on a variety of concrete and masonry surfaces, including:

- | | | |
|---------------------|--------------|----------------------------|
| - Inclined Surfaces | - Steps | - Walkways |
| - Driveways | - Patios | - Residential & Commercial |
| - Garages | - Pool Decks | - Ramps |

Available Packaging

4oz (118ml) / 16oz (473ml) Container

DYNAGRIP
ANTI-SKID ADDITIVE

Surface Preparation

Follow the manufacturer's instructions for surface preparation.

Mixing

1. Add the contents of one 4 oz container of DynaGrip Anti-Skid Additive into one gallon and the 16oz container into a 5 gallon pail of your chosen latex, epoxy, or oil-based paint, stain, or sealer.
2. Ensure DynaGrip Anti-Skid Additive is mixed into the final topcoat for best results.
3. Mix thoroughly to ensure even distribution of the additive.
4. Apply using a 3/8" to 3/4" nap roller to achieve a uniform, slip-resistant finish.

Cleaning

Wash your hands and tools based of the manufacturer's instructions for surface preparation.

Caution

Ensure there is adequate ventilation while using this product. To prevent overexposure, keep windows and doors open or use alternative methods to allow fresh air during application and drying. If you experience symptoms such as eye irritation, headaches, or dizziness, increase ventilation, wear NIOSH-approved respiratory protection, or exit the area. In the event of eye contact, rinse thoroughly with plenty of water, and seek medical attention if irritation persists. If ingested, immediately contact the Poison Control Center, hospital emergency room, or a physician. **KEEP OUT OF THE REACH OF CHILDREN.**

Notice

DYNA shall not be liable for incidental and consequential damages, indirectly or directly sustained, nor for any loss by application of these goods not in accordance with the printed instructions or for other than the intended use. Before using the user shall determine the suitability of the product for its intended use and the user will assume all risks and liabilities that may arise in connection therewith. **DYNA's** liability is expressly limited to the replacement of defective goods. Any claim shall be deemed waived unless the claim is made in writing to **DYNA** within 30 days from the date it was, or reasonably should have been, discovered that the product was defective.

Limited warranty

This premium quality product was designed to satisfy the user. If you are not satisfied after Surface Testing on a small area, please contact our technical service department immediately. NO WARRANTIES expressed or implied are offered by **DYNA**. The Manufacturer's liability is limited to the replacement of products proven defective. The user assumes all risk and liabilities associated with the use of this product.

TECHNICAL SUPPORT

If you have any questions or if you need any additional information on **DYNA's** products, please call our company or reach us by e-mail at mail@dyna.ca.

DYNA GRIP
ANTI-SKID ADDITIVE



We support the following organizations:



NAFTA Region / Corporate Head Office 37 Creditstone Road
Concord (ON) Canada L4K 1N3

CARICOM Region Lot 19, Naggo Head
Industrial Estate, Bridgeport Post Office,
St. Catherine, Jamaica



? Questions:
mail@dyna.ca

www.dyna.ca

NAFTA 1 866-861-6424
CARICOM 1 876 998 6519