

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Identification of the substance/mixture and of the company/undertaking Section 1.

1.1 Product identifier

Product Form Mixture

Trade Name CURE AND SEAL 1315 A 350

Product Code CS1315ALV

1.2 Relevant identified uses of the substance or mixture and uses advised against Industrial. For professional use only.

Use 1.2.2 Uses Advised Against

No additional information available

1.3 Details of the supplier of the safety data sheet

Manufacturer

NOX-CRETE, INC

1444 SOUTH 20TH STREET

OMAHA, NE 68108 Tel: 402-341-2080 Fax: 402-341-9752

E-Mail: corporate@nox-crete.com Web Site: www.nox-crete.com

1.4 Emergency telephone number

Emergency Number Chemtrec (800) 424-9300

Chemtrec Outside of U.S. 703-527-3887

Section 2. **Hazards identification**

Classification of the substance or mixture

Flam Liq. 2	H225
Acute Tox. 5 (oral)	H303
Asp. Tox. 1	H304
Skin Irrit. 2	H315
Eye Irrit. 2	H319
STOT SE 3 resp. irrit.	H335
STOT SE 3 drowsiness	H336
Carc. 2	H351
STOT RE 2	H373

Full text of H phrases see section 16

Adverse physiochemical, human health and environmental effects

No additional information available

2.2 Label elements

Hazard pictograms







Signal word **Danger**

EN (English) Page 1 of 9



According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Hazard statements H225 - Highly flammable liquid and vapor

H303 - May be harmful if swallowed

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H335 - May cause respiratory irritation

H336 - May cause drowsiness or dizziness

H351- Suspected of causing cancer

H373 - May cause damage to ears and cns through prolonged or

repeated exposure

Precautionary statements Prevention:

P201- Obtain special instructions before use.

P202- Do not handle until all safety precautions have been read and understood.

P210: Keep away from heat/sparks/open flames/hot surfaces-No smoking.

P233- Keep container tightly closed

P240 - Ground/bond container and receiving equipment

P241 - Use explosion-proof electrical/ventilating/light/.../equipment

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P264 - Wash exposed area's thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear protective gloves/protective clothing/eye protection/face

protection

Response:

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

P303+P361+P353: IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower

P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338 -IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so - continue rinsing

P308+P313 - IF exposed or concerned: Get medical advice/attention

P312 - Call a POISON CENTER or doctor/physician if you feel unwell.

P331 - Do NOT induce vomiting

P332+P313 - If skin irritation occurs: Get medical advice/attention

P337+P313 - If eye irritation persists: Get medical advice/attention

P362 - Take off contaminated clothing and wash before reuse.

P370+P378 - In case of fire: Use Dry chemical, foam, carbon dioxide for extinction

Storage:

P405+P403+P235 - Store locked up in a well-ventilated place. Keep cool.

EN (English) Page 2 of 9



According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Disposal: P501: Dispose of contents/container in accordance with

local/regional/national/international regulations.

Full text of H and P phrases: see section 16

2.3 Other hazards None known

Section 3. Composition / information on ingredients

Substances

Not applicable

Mixture 3.2

Name	Product identifier	%
Butyl Acetate	Trade Secret	Trade Secret
Hydrotreated Light Distillate	Trade Secret	Trade Secret
Solvent Naphtha Light Aromatic	Trade Secret	Trade Secret
Ethylbenzene	100-41-4	< 1.0
Xylene	1330-20-7	< 1.0
Cumene	98-82-8	<1.0

Pursuant to 29CFR 1910.1200(i) the specific chemical identity (and / or) concentration may be withheld as Trade Secret, while all health and safety properties and effects are included in the SDS. Balance of other ingredients are nonhazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).

Section 4. First aid measures

4.1 Description of f	first aid measures
----------------------	--------------------

Get medical advice/attention if you feel unwell. Never give anything by First-aid measures general

mouth to an unconscious person.

First-aid measures after inhalation If the individual experiences nausea, dizziness, has difficulty in breathing seek a healthcare professional immediately. In all cases of

doubt, or when symptoms persist, seek medical advice. Remove to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a Poison Center or doctor/physician.

First-aid measures after skin contact If skin irritation persists, seek medical attention. Remove or take off

immediately all contaminated clothing. Rinse skin with water or shower.

Wash off immediately with soap and plenty of water.

When contact lenses are worn, remove if possible. In case of contact First-aid measure after eye contact

> with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes while holding eyelids apart. Get medical attention immediately.

Rinse mouth. DO NOT induce vomiting. Get medical attention First-aid measures after ingestion

immediately.

4.2 Most important symptoms and effects, acute and delayed

EN (English) Page 3 of 9



According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Symptoms/injuries after inhalation May cause irritation to the respiratory tract. Overexposure to vapors may

result in headache, nausea, drowsiness or dizziness.

Symptoms/injuries after skin contact May cause skin irritation or burning sensation

Symptoms/injuries after eye contact May cause eye irritation or injury

Symptoms/injuries after ingestion May cause severe irritation or burns to the mucous membrane of the

mouth, throat, esophagus and stomach

Indication of any immediate medical attention and special treatment needed

No additional information available

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media Dry chemical, foam, carbon dioxide Unsuitable extinguishing media Do not use heavy water stream

5.2 Special hazards arising from the substance or mixture

Reactivity Thermal decomposition products may cause a health hazard.

5.3 Advice for firefighters

Other information

Firefighting instructions Flammable Liquid! This material releases vapors when heated above

ambient temperatures. Vapors can cause a flash fire. Use water spray

or fog to cool exposed containers.

Protective equipment for firefighters Firefighters should always wear self-contained breathing apparatus

> (SCBA) and full protective gear when fighting any chemical fire. On heating or burning harmful gasses/vapors may be released.

This product may cause the floor to become slippery.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

General measures Extremely Flammable. Eliminate any ignition sources. Dike or impound

spilled material. Use Non-sparking tools. All equipment must be grounded. Take proper precautions to ensure your own health and

safety before attempting spill control or cleanup.

Equip cleanup crew with proper protective equipment. 6.11 Protective Equipment

Environmental precautions Prevent entry to sewers and public waters.

Notify authorities if liquid enters sewers or public waters.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up spills with inert solids, such as clay or diatomaceous earth.

Collect into vapor tight containers and dispose of properly.

Section 7. Handling and storage

7.1 Precautions for safe handling

Protective measures Wash hands and other exposed areas with soap and water before

> eating, drinking or smoking and when leaving work. Provide good ventilation in work areas to prevent formation of vapor. When not in use

keep containers tightly closed. Avoid breathing vapor or mist.

Hygiene measures Wash contaminated clothing before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions Store in accordance with local regulations. Store in original container in

a cool well-ventilated place away from heat, sparks and open flame.

Keep containers tightly closed until ready for use.

Strong oxidizing agents and acids Incompatible materials

EN (English) Page 4 of 9



According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Storage temperature

Store in a cool dry environment away from sources of ignition.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Ingredient name	Occupational exposure limits ACGIH TLV (United States)
Butyl Acetate	TWA: 200 ppm 8 hours
Hydrotreated Light Distillate	TWA: 100 ppm 8 hours
Solvent Naphtha Light Aromatic	TWA: 100 ppm 8 hours
Xylene	TWA: 100 ppm 8 hours
Ethylbenzene	TWA: 100 ppm 8 hours
Cumene	TWA: 50 ppm 8 hours

8.2 Exposure controls

Appropriate engineering controls Use with adequate ventilation to keep product vapor concentrations

below specified TLV

Eye and face protection Chemical goggles and/or face shields are recommended to prevent

potential eve contact, irritation or injury.

Wear chemical resistant gloves and appropriate protective clothing and Skin protection

boots as required to prevent skin contact. Wash exposed skin

frequently with soap and water. Soiled clothing should be laundered

before reuse.

Respiratory protection General room ventilation is normally adequate. Avoid breathing the

product mist or vapors. The use of an appropriate respirator is

recommended whenever the airborne concentrations exceed the TLV.

Section 9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance Clear liquid Odor Sweet

Odor Threshold No data available

PH No data available No data available **Melting point** Freezing point No data available **Boiling point** > 98 C (>200 F)

> 4 C > 40 F **PMCC** Flash point

Relative evaporation rate (butyl acetate=1) No data available Flammability (solid, gas) No data available **Upper/lower explosive limits** No data available Vapor pressure No data available Vapor density No data available

Relative density (Specific gravity) 0.87 Kg per Liter 7.3 Lbs per Gallon

Water: Negligible Solubility Partition coefficient n-octanol/water No data available **Auto-ignition temperature** Not applicable **Viscosity** No data available

EN (English) Page 5 of 9



According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

VOC content < 350 grams per liter

Section 10. Stability and reactivity

10.1 Reactivity No additional information available 10.2 Chemical stability Stable under normal conditions

10.3 Possibility of hazardous reactions Hazardous polymerization will not occur. 10.4 Conditions to avoid Extreme high or low temperatures.

10.5 Incompatible materials Strong acids and oxidizers

10.6 Hazardous decomposition products carbon monoxide, carbon dioxide, various hydrocarbon derivatives

Section 11. Toxicology information

11.1 Information on toxicological effects

Acute toxicity

Irritation/Corrosion Skin

Eves

Respiration or skin sensitization

Germ cell mutagenicity

Carcinogenicity **IARC**

Xylene	3
Ethylbenzene	2B
Cumene	2B

No adverse effects expected under intended use.

May cause skin irritation

May cause serious eye irritation and damage.

May cause respiratory irritation

No data available

2B - Limited evidence in humans and less than sufficient evidence in animals.

3 - Inadequate in humans and inadequate or limited in animals. No data available

Reproductive toxicity Specific target organ toxicity

Single exposure No data available Repeated exposure No data available

Aspiration hazard May be fatal if swallowed and enters airways

Section 12. Ecological information

12.1 Ecotoxicity Not established 12.2 Persistence and degradability Not established 12.3 Bioaccumulative potential Not established

12.4 Mobility in soil No additional information available 12.5 Other adverse effects Avoid release to the environment

SECTION 13. **Disposal Considerations**

13.1 Waste treatment methods

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all applicable local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

SECTION 14. Transport information

In accordance with ADR / RID / ADNR / IMDG / ICAO / IATA 14.1 UN number UN1123

EN (English) Page 6 of 9



According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

14.2 UN proper shipping name Butyl Acetates,

14.3 Transport hazard class(es) 14.4 Packing group Ш

14.5 Environmental hazards No additional information available

14.6 Special precautions for user

14.7 Transport in bulk according to

Annex II of MARPOL 73/78 and the IBC Code No additional information available

14.8 Transport in bulk according to

CFR 49 173.15 Not applicable

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1.2 USA Regulations

Section 313

Contains the following ingredients at or above the reporting level requirements of Section 313. This information must be included in all SDS's copied or distributed for this material.

CHEMICAL CAS# MAX WEIGHT % **Xylene** 1330-20-7 < 1.0 Ethylbenzene 100-41-4 < 1.0

TSCA All ingredients are listed or exempted

PROPOSITION 65

DSL



WARNING: This product can expose you to chemicals including Benzene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov."

15.1.3 Canada Regulations

This SDS has been prepared according to the hazard criteria of the Hazardous Products Regulation (HPR) (WHMIS 2015) and the SDS contains all of the information required by the HPR.

15.2 Chemical safety assessment

All ingredients are listed or exempted

A Chemical Safety Assessment has not been carried out.

Section 16. Other information

Date of issue / revision 11-16-2021 Version 2.9 460 Number

Date of previous issue / revision 11-19-2020 Preparer Nox-Crete, Inc.

Reference Documentation

The information and recommendations contained herein are, to the best of Nox-Crete, Inc.'s knowledge and belief, accurate and reliable as of the date issued. You can contact Nox-Crete, Inc. to ensure that this document is the most current available from Nox-Crete, Inc. The information and recommendations are offered for the buyer's/user's consideration and examination. It is the buyer's/user's responsibility to satisfy themselves that the product is suitable for the intended use. Appropriate warnings and safe-handling procedures should be provided to all handlers and users. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Since the information provided herein may have been obtained

EN (English) Page 7 of 9



Safety Data Sheet chemical solutions to concrete problems CURE & SEAL 1315 A-350

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

in part from independent laboratories or other sources not under our direct supervision, no representation is made that the information is accurate, reliable, complete or representative and buyer/user may rely thereon only at their risk. We have made no effort to censor or to conceal deleterious aspects of this product. Further, since we cannot anticipate or control the many different conditions under which this information or our products may be used, we make no guarantee that the health and/or safety precautions we have suggested will be adequate for all individuals and /or situations involving its handling or use. Likewise, we make no guarantee or warranty of any kind that the use or disposal of this product is in compliance with all federal, state or local laws. It is the obligation of each buyer/user of the product mentioned herein to determine and comply with the requirements of all applicable statutes. If buyer/user repackages this product, it is the buyer's/user's responsibility to ensure proper health, safety and other necessary information is included with and/or on the container. Nox-Crete, Inc. urges each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with this product. Alteration of this document is strictly prohibited. Except to the extent required by law, re-publication or retransmission of this document, in whole or in part is not permitted.

Full text of H and P phrases

Flam Liq. 2	H225
Acute Tox. 5 (oral)	H303
Asp. Tox. 1	H304
Skin Irrit. 2	H315
Eye Irrit. 2	H319
STOT SE 3 resp. irrit.	H335
STOT SE 3 drowsiness	H336
Carc. 2	H351
STOT RE 2	H373

- H225 Highly flammable liquid and vapor
- H303 May be harmful if swallowed
- H304 May be fatal if swallowed and enters airways
- H315 Causes skin irritation
- H319 Causes serious eye irritation
- H335 May cause respiratory irritation
- H336 May cause drowsiness or dizziness
- H351- Suspected of causing cancer
- H373 May cause damage to ears and cns through prolonged or repeated exposure
- P201- Obtain special instructions before use.
- P202- Do not handle until all safety precautions have been read and understood.
- P210: Keep away from heat/sparks/open flames/hot surfaces-No smoking.
- P233- Keep container tightly closed
- P240 Ground/bond container and receiving equipment
- P241 Use explosion-proof electrical/ventilating/light/.../equipment
- P242 Use only non-sparking tools
- P243 Take precautionary measures against static discharge
- P260 Do not breathe dust/fume/gas/mist/vapors/spray
- P264 Wash exposed area's thoroughly after handling.
- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear protective gloves/protective clothing/eye protection/face protection
- P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- P303+P361+P353: IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower

EN (English) Page 8 of 9



According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338 -IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so - continue rinsing

P308+P313 - IF exposed or concerned: Get medical advice/attention

P312 - Call a POISON CENTER or doctor/physician if you feel unwell.

P331 - Do NOT induce vomiting

P332+P313 - If skin irritation occurs: Get medical advice/attention

P337+P313 - If eye irritation persists: Get medical advice/attention

P362 - Take off contaminated clothing and wash before reuse.

P370+P378 - In case of fire: Use Dry chemical, foam, carbon dioxide for extinction.

P405+P403+P235 - Store locked up in a well-ventilated place. Keep cool.

P501: Dispose of contents/container in accordance with local/regional/national/international regulations.

EN (English) Page 9 of 9